



# SPORT ARENAS


CHARACTERISTICS OF THE LINE  
IN CONFORMITY WITH EN 15312




IN CONFORMITY WITH EN 15312  
[www.buglo.pl](http://www.buglo.pl)



# PRODUCTS SUGGESTION



# ELEMENTS OF THE PRODUCT



6410




S01-R7016



S02-R7016




S11-R7016



S21-R7016, S22-R7016




S23-R7016, S24-R7016




S31-R7016, S32-R7016




S33-R7016




S61-R7016




S62-R7016




S51-R7016



S41-R7016



S42-R7016



S43-R7016



6031



6054



6061




6310




IN CONFORMITY WITH EN 15312  
[www.buglo.pl](http://www.buglo.pl)



# ARENA MODULES



## SPANS



- filled in with 15 mm thick HDPE panels



- filled in with steel profiles

## COLOURS OF HDPE PLATES



## EXTRA ELEMENTS




# 6410

Dimensions: 308 x 325 x 385 cm  
Diameter of the basket hoop: 47,1 cm

Dimensions of pipes and profiles used:  
» rectangular profile: 90x90x3;  
40x40x2; 20x20x2 mm  
» flat bar: 60x6, 100 x 6 mm  
» pipe: Ø 33,7 x 2,9; 33,7 x 2; 20 x 2;  
21,3 x 2; 17,2 x 2 mm  
» supporting column: Ø 76,1 x 2,6 mm  
» stainless steel chain: f15 mm

- Colour options of HDPE plates:



- Colour options of RAL:




## MATERIALS

• Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.


• System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electro-phoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

• Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

- Colour options of HDPE plates:



- Colour options of RAL:



## ARENA MODULEY



### MODULE S01-R7016

Dimensions: 308 x 167 x 304 cm

Dimensions of pipes and profiles used:

» rectangular profile: 20x20x2, 40x40x2 mm  
» pipe: Ø 33,7 x 2,9; 33,7 x 2 mm  
» supporting column: Ø 76,1 x 2,6 mm



### MODULE S02-R7016


Dimensions: 308 x 498 x 385 cm  
Diameter of the basket hoop: 47,1 cm

Dimensions of pipes and profiles used:

» rectangular profile: 90x90x3; 40x40x2; 20x20x2 mm  
» flat bar: 60x6 mm  
» pipe: Ø 33,7 x 2,9 mm; 33,7 x 2; 20 x 2; 21,3 x 2;  
17,2 x 2 mm  
» supporting column: Ø 76,1 x 2,6 mm  
» stainless steel chain: f15 mm



# MODULE S11-R7016



Dimensions: 250 x 65 x 112 cm

Dimensions of pipes and profiles used:


- » rectangular profile: 20x20x2 mm
- » pipe: Ø 33,7 x 2,9 mm
- » supporting column: Ø 76,1 x 2,6 mm

## MODULE S21-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




## MODULE S23-R7016

Dimensions: 125 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

- Colour options of HDPE plates:



- Colour options of RAL:




## MODULE S22-R7016

Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




## MODULE S24-R7016

Dimensions: 125 x 8,3 x 112 cm

Dimensions of pipes and profiles used:

- » rectangular profile: 20x20x2 mm
- » supporting column: Ø 76,1 x 2,6 mm
- » pipe: Ø 33,7 x 2,9 mm




## MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

- Colour options of RAL:




# MODULE S31-R7016



Dimensions: 250 x 8,3 x 112 cm

Dimensions of pipes and profiles used:  
» rectangular profile 60x60x2; 40x40x2;  
20x20x2 mm  
» supporting column: Ø 76,1 x 2,6 mm  
» pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm



## MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.

- Bolt available to lock it with a padlock

- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

- Colour options of HDPE plates:



- Colour options of RAL:



## MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Bolt available to lock it with a padlock
- Colour options of RAL:



# MODULE S33-R7016

Dimensions: 250 x 8,3 x 208 cm


Dimensions of pipes and profiles used:  
» rectangular profile 60x60x2;  
40x40x2; 20x20x2 mm  
» supporting column: Ø 76,1 x 2,6 mm  
» pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm



# MODULE S32-R7016

Dimensions: 250 x 8,3 x 112 cm


Dimensions of pipes and profiles used:  
» rectangular profile 60x60x2;  
40x40x2; 20x20x2 mm  
» supporting column: Ø 76,1 x 2,6 mm  
» pipe: Ø 33,7 x 2,9; 21,3 x 2; 17,2 x 2 mm



MODULE

# S61-R7016

High-quality polypropylene PP net, with 4,5 x 4,5 cm loops and thickness 3 mm. Manufactured using a non-knot technique for optimal durability and stability. Strain of the net can be adjusted accordingly. Colour: black.





IN CONFORMITY WITH EN 15312  
[www.buglo.pl](http://www.buglo.pl)



## MODULE S62-R7016

High-quality polypropylene net used for playing volleyball. The net conforms to the norms of FIVB (International Volleyball Federation).

Dimensions of the net: 850 x 100 cm



## MODULE S51-R7016

Dimensions: 305 x 96 x 6 cm

Dimensions of pipes and profiles used:  
» pipe: Ø 33,7 x 2,9 mm

## MATERIALS


- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

## MODULE

# S41-R7016

Dimensions: 160 x 6 x 225 cm

Dimensions of pipes and profiles used:  
» rectangular profile: 20x20x2 mm  
» pipe: Ø 33,7 x 2,9 mm




## MODULE

# S42-R7016

Dimensions: 160 x 6 x 225 cm

Dimensions of pipes and profiles used:  
» rectangular profile: 20x20x2 mm  
» pipe: Ø 33,7 x 2,9 mm




## MODULE

# S43-R7016


Dimensions: 160 x 6 x 225 cm

Dimensions of pipes and profiles used:  
» rectangular profile: 20x20x2 mm  
» pipe: Ø 33,7 x 2 mm




## MATERIALS

- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- System of connectors made of strong aluminum alloy. Aluminum is secured by the process of electrophoresis and powder coating with polyester paint UV resistant and QUALICOAT attested.
- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.
- Colour options of HDPE plates:



- Colour options of RAL:



## 6031

Dimensions: 97 x 57 x 90 cm

Dimensions of pipes and profiles used:

- » profile: 40x20x2 mm
- » pipe: Ø 60,3 x 2,9, Ø 42,4 x 2,9 mm



## 6054

Dimensions: 50 x 43 x 90 cm

Pojemność: 45 L



## 6061

Dimensions: 210 x 58 x 61 cm

Dimensions of pipes and rods used:

- » rod: 40x20x2 mm
- » pipe: Ø 14 mm



### MATERIALS

- Colourful plates made of 13 mm thick HPL, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

### MATERIALS

- Colourful plates made of 13 mm thick HPL, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

### MATERIALS

- Construction made of hot-dip galvanised steel.


## 6310

Dimensions: 150 x 230 x 385 cm  
Diameter of the basket hoop: 47,1 cm

Dimensions of pipes and profiles used:  
» rectangular profile: 40x40x2 mm  
» flat bar: 60x6 mm  
» pipe: 20 x 2,5; 21,3 x 2; 17,2 x 2 mm  
» supporting column: Ø 133x3,6 mm  
» stainless steel chain: fi 5

### MATERIALS

- Colourful plates made of triple layered 15 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.
- Construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.
- Basket hoop made of stainless steel.





# Buglo®



[www.buglo.pl](http://www.buglo.pl)